

```

<?xml version="1.0" encoding="UTF-8"?>
<!-- edited by Annick Fron (AFC Europe) -->
<xs:schema targetNamespace="" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema" elementFormDefault="unqualified">
  <xs:element name="Tireur">
    <xs:complexType>
      <xs:attribute name="Classement" type="xs:integer"/>
      <xs:attribute name="Club" type="xs:string"/>
      <xs:attribute name="DateNaissance" type="xs:string"/>
      <xs:attribute name="Equipe" type="xs:string"/>
      <xs:attribute name="ID" type="xs:integer"/>
      <xs:attribute name="Lateralite" type="xs:string"/>
      <xs:attribute name="Licence" type="xs:string"/>
      <xs:attribute name="LicenceNat" type="xs:string"/>
      <xs:attribute name="Ligue" type="xs:string"/>
      <xs:attribute name="Nation" type="xs:string"/>
      <xs:attribute name="NbMatches" type="xs:integer"/>
      <xs:attribute name="NbVictoires" type="xs:integer"/>
      <xs:attribute name="NoDansLaPoule" type="xs:integer"/>
      <xs:attribute name="Nom" type="xs:string"/>
      <xs:attribute name="Prenom" type="xs:string"/>
      <xs:attribute name="Points" type="xs:string"/>
      <xs:attribute name="REF" type="xs:integer"/>
      <xs:attribute name="RangFinal" type="xs:integer"/>
      <xs:attribute name="RangInitial" type="xs:integer"/>
      <xs:attribute name="RangPoule" type="xs:integer"/>
      <xs:attribute name="Score" type="xs:integer"/>
      <xs:attribute name="Sexe" type="xs:string"/>
      <xs:attribute name="Statut" type="xs:string"/>
      <xs:attribute name="TD" type="xs:integer"/>
      <xs:attribute name="TR" type="xs:integer"/>
    </xs:complexType>
  </xs:element>
  <xs:element name="Assaut">
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="Tireur" minOccurs="0" maxOccurs="2"/>
      </xs:sequence>
      <xs:attribute name="ID" type="xs:integer" use="required"/>
      <xs:attribute name="Arme" type="xs:string"/>
    </xs:complexType>
  </xs:element>
  <xs:element name="Tireurs">
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="Tireur" minOccurs="0" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="Equipe">
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="Tireur" minOccurs="0" maxOccurs="unbounded"/>
      </xs:sequence>
      <xs:attribute name="Classement" type="xs:integer"/>
      <xs:attribute name="Club" type="xs:string"/>
      <xs:attribute name="ID" type="xs:integer"/>
      <xs:attribute name="Ligue" type="xs:string"/>
      <xs:attribute name="Nation" type="xs:string"/>
      <xs:attribute name="NbMatches" type="xs:integer"/>
      <xs:attribute name="NbVictoires" type="xs:integer"/>
      <xs:attribute name="NoDansLaPoule" type="xs:integer"/>
      <xs:attribute name="Nom" type="xs:string"/>
      <xs:attribute name="Points" type="xs:string"/>
      <xs:attribute name="REF" type="xs:integer"/>
      <xs:attribute name="RangFinal" type="xs:integer"/>
    </xs:complexType>
  </xs:element>

```

```

<xs:attribute name="RangInitial" type="xs:integer"/>
<xs:attribute name="RangPoule" type="xs:integer"/>
<xs:attribute name="Score" type="xs:integer"/>
<xs:attribute name="Statut" type="xs:string"/>
<xs:attribute name="TD" type="xs:integer"/>
<xs:attribute name="TR" type="xs:integer"/>
</xs:complexType>
</xs:element>
<xs:element name="Equipes">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Equipe" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="Match">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Arbitre" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="Tireur" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="Equipe" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="Assaut" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="Date" type="xs:string"/>
    <xs:attribute name="ID" type="xs:integer" use="required"/>
    <xs:attribute name="Piste" type="xs:string"/>
  </xs:complexType>
</xs:element>
<xs:element name="Arbitre">
  <xs:complexType>
    <xs:attribute name="Categorie" type="xs:string"/>
    <xs:attribute name="Club" type="xs:string"/>
    <xs:attribute name="DateNaissance" type="xs:string"/>
    <xs:attribute name="ID" type="xs:integer"/>
    <xs:attribute name="Licence" type="xs:string"/>
    <xs:attribute name="Ligue" type="xs:string"/>
    <xs:attribute name="Nation" type="xs:string"/>
    <xs:attribute name="Nom" type="xs:string"/>
    <xs:attribute name="Prenom" type="xs:string"/>
    <xs:attribute name="REF" type="xs:integer"/>
    <xs:attribute name="Sexe" type="xs:string"/>
  </xs:complexType>
</xs:element>
<xs:element name="Arbitres">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Arbitre" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="Poule">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Tireur" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="Arbitre" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="Match" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="Date" type="xs:string"/>
    <xs:attribute name="ID" type="xs:integer" use="required"/>
    <xs:attribute name="Piste" type="xs:string"/>
  </xs:complexType>
</xs:element>
<xs:element name="Tableau">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Match" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

```

</xs:sequence>
<xs:attribute name="ID" type="xs:string" use="required"/>
<xs:attribute name="Taille" type="xs:integer" use="required"/>
<xs:attribute name="Titre" type="xs:string" use="required"/>
<xs:attribute name="DestinationDesElimines" type="xs:string"/>
</xs:complexType>
</xs:element>
<xs:element name="SuiteDeTableaux">
<xs:complexType>
<xs:sequence>
<xs:element ref="Tableau" minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
<xs:attribute name="ID" type="xs:string" use="required"/>
<xs:attribute name="NbDeTableaux" type="xs:integer" use="required"/>
<xs:attribute name="Titre" type="xs:string" use="required"/>
<xs:attribute name="DestinationDesQualifies" type="xs:string"/>
</xs:complexType>
</xs:element>
<xs:element name="PhaseDeTableaux">
<xs:complexType>
<xs:sequence>
<xs:choice minOccurs="0">
<xs:element ref="Equipe" minOccurs="0" maxOccurs="unbounded"/>
<xs:element ref="Tireur" minOccurs="0" maxOccurs="unbounded"/>
</xs:choice>
<xs:element ref="SuiteDeTableaux" minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
<xs:attribute name="ID" type="xs:integer" use="required"/>
<xs:attribute name="PhaseID" type="xs:string" use="required"/>
<xs:attribute name="PhaseSuivanteDesQualifies" type="xs:string"/>
<xs:attribute name="PhaseSuivanteDesElimines" type="xs:string"/>
</xs:complexType>
</xs:element>
<xs:element name="TourDePoules">
<xs:complexType>
<xs:sequence>
<xs:choice minOccurs="0">
<xs:element ref="Equipe" minOccurs="0" maxOccurs="unbounded"/>
<xs:element ref="Tireur" minOccurs="0" maxOccurs="unbounded"/>
</xs:choice>
<xs:element ref="Poule" maxOccurs="unbounded"/>
</xs:sequence>
<xs:attribute name="ID" type="xs:integer" use="required"/>
<xs:attribute name="NbDePoules" type="xs:integer" use="required"/>
<xs:attribute name="NbQualifiesParIndice" type="xs:integer" use="required"/>
<xs:attribute name="NbQualifiesParPoule" type="xs:integer" use="required"/>
<xs:attribute name="PhaseID" type="xs:string" use="required"/>
<xs:attribute name="PhaseSuivanteDesQualifies" type="xs:string"/>
<xs:attribute name="PhaseSuivanteDesElimines" type="xs:string"/>
</xs:complexType>
</xs:element>
<xs:element name="Phases">
<xs:complexType>
<xs:choice maxOccurs="unbounded">
<xs:element ref="PhaseDeTableaux"/>
<xs:element ref="TourDePoules"/>
</xs:choice>
</xs:complexType>
</xs:element>
<xs:element name="CompetitionParEquipes">
<xs:complexType>
<xs:sequence>
<xs:element ref="Equipes"/>
<xs:element ref="Arbitres"/>
<xs:element ref="Phases"/>
</xs:sequence>

```

```

<xs:attribute name="Annee" type="xs:string"/>
<xs:attribute name="Arme" type="xs:string" use="required"/>
<xs:attribute name="Categorie" type="xs:string" use="required"/>
<xs:attribute name="Championnat" type="xs:string" use="required"/>
<xs:attribute name="Date" type="xs:string" use="required"/>
<xs:attribute name="DateDebut" type="xs:string"/>
<xs:attribute name="DateFin" type="xs:string"/>
<xs:attribute name="Domaine" type="xs:string"/>
<xs:attribute name="Federation" type="xs:string"/>
<xs:attribute name="ID" type="xs:integer"/>
<xs:attribute name="Organisateur" type="xs:string"/>
<xs:attribute name="Sexe" type="xs:string" use="required"/>
<xs:attribute name="TitreCourt" type="xs:string"/>
<xs:attribute name="TitreLong" type="xs:string" use="required"/>
<xs:attribute name="URLorganisateur" type="xs:string"/>
</xs:complexType>
</xs:element>
<xs:element name="CompetitionRelaisItalienne">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Equipes"/>
      <xs:element ref="Arbitres"/>
      <xs:element ref="Phases"/>
    </xs:sequence>
    <xs:attribute name="Annee" type="xs:string"/>
    <xs:attribute name="Arme" type="xs:string"/>
    <xs:attribute name="Categorie" type="xs:string"/>
    <xs:attribute name="Championnat" type="xs:string"/>
    <xs:attribute name="Date" type="xs:string"/>
    <xs:attribute name="DateDebut" type="xs:string"/>
    <xs:attribute name="DateFin" type="xs:string"/>
    <xs:attribute name="Domaine" type="xs:string"/>
    <xs:attribute name="Federation" type="xs:string"/>
    <xs:attribute name="ID" type="xs:integer"/>
    <xs:attribute name="Organisateur" type="xs:string"/>
    <xs:attribute name="Sexe" type="xs:string"/>
    <xs:attribute name="TailleEquipe" type="xs:integer" use="required"/>
    <xs:attribute name="TitreCourt" type="xs:string"/>
    <xs:attribute name="TitreLong" type="xs:string"/>
    <xs:attribute name="URLorganisateur" type="xs:string"/>
  </xs:complexType>
</xs:element>
<xs:element name="CompetitionIndividuelle">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Tireurs"/>
      <xs:element ref="Arbitres"/>
      <xs:element ref="Phases"/>
    </xs:sequence>
    <xs:attribute name="Annee" type="xs:string"/>
    <xs:attribute name="Arme" type="xs:string"/>
    <xs:attribute name="Categorie" type="xs:string"/>
    <xs:attribute name="Championnat" type="xs:string"/>
    <xs:attribute name="Date" type="xs:string"/>
    <xs:attribute name="DateDebut" type="xs:string"/>
    <xs:attribute name="DateFin" type="xs:string"/>
    <xs:attribute name="Domaine" type="xs:string"/>
    <xs:attribute name="Federation" type="xs:string"/>
    <xs:attribute name="ID" type="xs:integer" use="required"/>
    <xs:attribute name="Organisateur" type="xs:string"/>
    <xs:attribute name="Sexe" type="xs:string"/>
    <xs:attribute name="TitreCourt" type="xs:string"/>
    <xs:attribute name="TitreLong" type="xs:string"/>
    <xs:attribute name="URLorganisateur" type="xs:string"/>
  </xs:complexType>
</xs:element>

```

```

<xs:element name="BaseCompetitionIndividuelle">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Tireurs"/>
      <xs:element ref="Arbitres"/>
    </xs:sequence>
    <xs:attribute name="Annee" type="xs:string"/>
    <xs:attribute name="Arme" type="xs:string"/>
    <xs:attribute name="Categorie" type="xs:string"/>
    <xs:attribute name="Championnat" type="xs:string"/>
    <xs:attribute name="Date" type="xs:string"/>
    <xs:attribute name="DateDebut" type="xs:string"/>
    <xs:attribute name="DateFichierXML" type="xs:string"/>
    <xs:attribute name="DateFin" type="xs:string"/>
    <xs:attribute name="Domaine" type="xs:string"/>
    <xs:attribute name="Federation" type="xs:string"/>
    <xs:attribute name="ID" type="xs:integer"/>
    <xs:attribute name="Lieu" type="xs:string"/>
    <xs:attribute name="Organisateur" type="xs:string"/>
    <xs:attribute name="Sexe" type="xs:string"/>
    <xs:attribute name="TitreCourt" type="xs:string"/>
    <xs:attribute name="TitreLong" type="xs:string"/>
    <xs:attribute name="URLorganisateur" type="xs:string"/>
  </xs:complexType>
</xs:element>
<xs:element name="BaseCompetitionParEquipes">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Tireurs"/>
      <xs:element ref="Arbitres"/>
      <xs:element ref="Equipes"/>
    </xs:sequence>
    <xs:attribute name="Annee" type="xs:string"/>
    <xs:attribute name="Arme" type="xs:string"/>
    <xs:attribute name="Categorie" type="xs:string"/>
    <xs:attribute name="Championnat" type="xs:string"/>
    <xs:attribute name="Date" type="xs:string"/>
    <xs:attribute name="DateDebut" type="xs:string"/>
    <xs:attribute name="DateFichierXML" type="xs:string"/>
    <xs:attribute name="DateFin" type="xs:string"/>
    <xs:attribute name="Domaine" type="xs:string"/>
    <xs:attribute name="Federation" type="xs:string"/>
    <xs:attribute name="ID" type="xs:integer"/>
    <xs:attribute name="Lieu" type="xs:string"/>
    <xs:attribute name="Organisateur" type="xs:string"/>
    <xs:attribute name="Sexe" type="xs:string"/>
    <xs:attribute name="TitreCourt" type="xs:string"/>
    <xs:attribute name="TitreLong" type="xs:string"/>
    <xs:attribute name="URLorganisateur" type="xs:string"/>
  </xs:complexType>
</xs:element>
<xs:element name="BaseCompetitionRelaisItalienne">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Tireurs"/>
      <xs:element ref="Arbitres"/>
      <xs:element ref="Equipes"/>
    </xs:sequence>
    <xs:attribute name="Annee" type="xs:string"/>
    <xs:attribute name="Arme" type="xs:string"/>
    <xs:attribute name="Categorie" type="xs:string"/>
    <xs:attribute name="Championnat" type="xs:string"/>
    <xs:attribute name="Date" type="xs:string"/>
    <xs:attribute name="DateDebut" type="xs:string"/>
    <xs:attribute name="DateFichierXML" type="xs:string"/>
    <xs:attribute name="DateFin" type="xs:string"/>

```

```
<xs:attribute name="Domaine" type="xs:string"/>
<xs:attribute name="Federation" type="xs:string"/>
<xs:attribute name="ID" type="xs:integer"/>
<xs:attribute name="Lieu" type="xs:string"/>
<xs:attribute name="Organisateur" type="xs:string"/>
<xs:attribute name="Sexe" type="xs:string"/>
<xs:attribute name="TailleEquipe" type="xs:integer" use="required"/>
<xs:attribute name="TitreCourt" type="xs:string"/>
<xs:attribute name="TitreLong" type="xs:string"/>
<xs:attribute name="URLorganisateur" type="xs:string"/>
</xs:complexType>
</xs:element>
</xs:schema>
```